

Britt Berglund	SE	HOL/JER/RED	Sniffer/greenfeed	500	0											
Phil Garnsworthy	UK	HOL	Sniffer	200	100											
Yan Tianhai	UK	BEEF	SF6/chamber	300	300											
Yan Tianhai	UK	HOL	SF6/chamber	1000	1000											
Eileen Wall	UK	HOL	Laser	220	220	220										
Bertilsson, J.	SE	HOL, Red	sniffer	80	80	80	80	80	Y	In progress	In progress	1	3	7	mid-lactation	Research farm
Bertilsson, J.	SE	Red	SF6	ca 50	50	50	50	50	Y	No	In one exp*	3-4 per trial				
Kirsty Hammond	UK	HOL	SF6/GreenFeed	416	272 measured and 144 estimated						* published by Danielsson et al, 2012. Appl. Environ. Microbiol. 78:6172-6179.		3	5	mid- and late-lact	Research farm
Nico Peiren & Sam De Campeneere	BE	HOL	Chamber	35	32	32	32	32	32		4	5	4	6 weeks/3 days	different not in first 60 days	chambers
Nico Peiren & Sam De Campeneere	BE	BEEF	Chamber	20	20			20	20		0	1				chambers
Eva Lewis	IRL	HOL/JE	SF6	700	700	700	700	700	y	no		20	sometimes same cow on different expt in different year	5	mid and late	research farm - grazing
Eva Ugarte	ESP	HOL/BEEF	fatty acid profiles	40	estimation	40	40	40	40	no	no	2	2..4			Commercial farms
Biscarini, F	IT	HOL	Greenfeed	600	600	600	600	no	N	yes	200	no				Commer

				(plan)						(planned in 2015)	(meta-barcoding)						cial farm
--	--	--	--	--------	--	--	--	--	--	-------------------	------------------	--	--	--	--	--	-----------